RECEIVED CENTRAL FAX CENTER

JUN 1 2 2008

AMENDMENTS TO THE CLAIMS:

The present listing of the claims replaces all past listings of the claims:

In the Claims:

- 1. (original) A filled water-soluble injection moulded container (1) containing a first composition (6) held in a first compartment (2) and a second composition (8) held in a second compartment (3), said first compartment (2) and said second compartment (3) being separated by a water-soluble barrier (4) having an opening (5) plugged by a plug (7) arranged such that when said container (1) is filled with said first composition (6) and said second composition (8), said first compartment (2) is filled through said opening (5) in said barrier (4), said barrier (4) is plugged with said plug (7), and subsequently said second compartment (3) is filled with said second composition (8) and said second compartment is sealed with a closure part (9).
- 2. (original) A container according to claim 1 wherein said closure part (9) is a water-soluble film (9).
- (previously presented) A container according to claim 1 wherein said plug
 comprises a water-soluble composition.
- 4. (previously presented) A container according to claim 1 wherein said plug (7) is spherical.
- 5. (previously presented) A container according to claim 1 wherein said first composition (6) and said second composition (8) are each a fabric care, surface care or dishwashing composition.
- 6. (original) A container according to claim 5 wherein said first composition (6) and said second composition (8) are each a dishwashing, water-softening, laundry, detergent or rinse aid composition.

- 7. (previously presented) A container according to claim 1 wherein said first composition (6) and said second composition (8) are each a disinfectant, antibacterial or antiseptic composition.
- 8. (previously presented) A container according to claim 1 wherein said first composition and said second composition are each an agricultural composition.
- 9. (original) An unfilled water-soluble injection moulded container (1) containing a first compartment (2) and a second compartment (3), said first compartment (2) and said second compartment (3) being separated by a water-soluble barrier (4) having an opening (5) arranged such that when said container is to be filled said first compartment (2) is arranged to be filled through said opening (5) in said barrier (4), said barrier (4) is capable of being plugged with a plug (7), and subsequently said second compartment (3) is arranged to be filled through another opening in the container.
- 10. (previously presented) A container according to claim 1 wherein said container is made from a poly(vinyl alcohol) (PVOH).
- 11. (previously presented) A container according to claim 1 wherein said first compartment (2) is defined by a lower surface, said barrier (4) and walls extending therebetween, said lower surface and said barrier (4) being substantially parallel.
- 12. (currently amended) A container according to claim 1, wherein said second compartment (3) is defined by an opening, said barrier (4) and walls extending therebetween, said upper surface and said opening being substantially parallel.
- 13.(previously presented) A container according to claim 1 which is cuboid.
- 14. (previously presented) A process for preparing a filled container according to claim 1 which comprises the steps of: providing an unfilled water-soluble injection

moulded container (1) filling said first compartment (2) with said first composition (6) through said opening (5) in said barrier (4), plugging said opening (5) with a plug (7), filling said second compartment (3) with said second composition (8) and sealing said second compartment (3) with a closure part (9).

- 15. (previously presented) A container according to claim 2 wherein said plug (7) comprises a water-soluble composition.
- 16. (previously presented) A container according to claim 9 wherein said container is made from a poly(vinyl alcohol) (PVOH).
- 17. (cancelled)
- 18. (previously presented) A container according to claim 9 wherein said first compartment (2) is defined by a lower surface, said barrier (4) and walls extending therebetween, said lower surface and said barrier (4) being substantially parallel.
- 19. (currently amended) A container according to claim 9 wherein said second compartment (3) is defined by an opening, said barrier (4) and walls extending therebetween, said upper surface and said opening being substantially parallel.
- 20. (previously presented) A process for preparing a filled container which comprises the steps of: providing an unfilled water-soluble injection moulded container (1) according to claim 9; filling said first compartment (2) with said first composition (6) through said opening (5) in said barrier (4), plugging said opening (5) with a plug (7), filling said second compartment (3) with said second composition (8) and sealing said second compartment (3) with a closure part (9).